

Serial No. 09/765,847
Page 2 of 14

RECEIVED
CENTRAL FAX CENTER

JUL 17 2006

IN THE CLAIMS

Please consider the claims as follows:

1. (previously presented) A method for providing client access to the Internet or other network, comprising:

offering, at a first point of service, a Local Area Network (LAN) connected to the Internet or other network;

connecting at least one client computer to said LAN;

configuring networking parameters of each of said at least one client computer;

establishing a secure tunnel between a service provider and each of said at least one client computer, such that the service provider provides Internet or other network service through the secure tunnel to only each one of said at least one client computer;

negotiating, at the first point of service, the network usage terms and prices with each one of said at least one client computer;

providing the Internet or other network service at the first point of service to each one of the at least one client computer in accordance with the network usage terms and prices via a second point of service associated with the service provider, wherein a service provider that provides the client access obtains access services from another service provider; and

constraining client device usage according to said negotiated network usage terms, said client device usage being measured as two or more of an amount of data received, an amount of data transmitted and an elapsed time.

2. (previously presented) The method of claim 1, further comprising establishing a contract at the first point of service, wherein the contract defines the network usage terms and prices negotiated between the client and the service provider.

3. (original) The method of claim 2 wherein the contract does not depend on a previous or subsequent relationship between client and service provider.

4. (original) The method of claim 2 wherein the user of the client computer may select as short a contract term as the user of the client computer desires.

470824-1

Serial No. 09/765,847
Page 3 of 14

5. (cancelled)
6. (original) The method of claim 2 wherein the client may choose a hard usage limit, such that the service provider terminates the contract when the hard limit is reached.
7. (original) The method of claim 2 wherein the user of the client computer may request contract termination.
8. (previously presented) The method of claim 2 wherein, after receiving a deposit, the service provider sends to the client computer a receipt that the client computer may use to recover from a client computer or service provider failure, obtaining access again on the same contract.
9. (original) The method of claim 8 wherein the receipt contains all the information required for recovery.
10. (original) The method of claim 2 wherein the contract is established and the client may monitor and control its usage via a Transport Layer Security protocol or via a Secure Socket Layer connection.
11. (original) The method of claim 1 wherein the service provider owns or rents the premises at the point of access.
12. (original) The method of claim 1 wherein access is provided in one of an airport, hotel, conference center, or a multi-tenant building.
13. (cancelled)
14. (original) The method of claim 1 wherein a service provider that provides client access is connected to the Internet by one or more Digital Subscriber Lines (DSL), T1

470824-1

Serial No. 09/765,847

Page 4 of 14

or other dedicated telephone lines, Integrated Services Digital Network (ISDN) lines, or cable modems.

15. (original) The method of claim 1 wherein a service provider that provides the client access uses Network Address Translation.
16. (original) The method of claim 1 wherein the network configuration of client computers is automatic.
17. (original) The method of claim 16 wherein the network configuration of client computers is performed by the Dynamic Host Configuration Protocol.
18. (original) The method of claim 1 where packets sent from the client computer to or via a service provider are authenticated.
19. (original) The method of claim 1 where packets sent from or via a service provider to the client computer are authenticated.
20. (original) The method of claim 1 where packets sent between the client computer and a service provider are encrypted.
21. (original) The method of claim 1 wherein the client computer may choose whether packets sent from or via a service provider to the client computer should be authenticated, or whether packets sent between the client computer and a service provider should be encrypted.
22. (original) The method of claim 1 wherein the client may choose how a service provider measures the client's usage.
23. (original) The method of claim 1 wherein the client may choose a soft usage limit, such that the service provider suspends service to the client when the soft limit is

470824-1

Serial No. 09/765,847
Page 5 of 14

reached and sends a notification to the client, and the client may resume service and set a new soft limit by sending a message to the service provider.

24. (original) The method of claim 1, further comprising the client paying for said Internet or other network service, wherein the payment is offline.

25. (original) The method of claim 24 wherein payment is by one or more of the following options: cash, credit card, and debiting from another account.

26. (original) The method of claim 1, further comprising the client paying for said Internet or other network service, wherein the payment is online.

27. (original) The method of claim 26 wherein payment is by one or more of the following options: eCASH®, SECURE ELECTRONIC TRANSACTIONS (SET)®, IBM MICROPAYMENTS®, or MILLICENT®.

28. (original) The method of claim 26 wherein online payment, no matter how implemented, is performed through an authenticated and/or encrypted tunnel, and therefore is automatically and securely bound to it.

29. (original) The method of claim 1, further comprising paying for said Internet or other network service, wherein a user of the client computer can choose the payment method or a combination of payment methods.

30. (original) The method of claim 1 wherein the user of the client computer may monitor and control the client computer usage.

31. (original) The method of claim 1 wherein the user of the client computer, before gaining service, pays to the service provider a deposit corresponding to a hard usage limit.

470824-1

Serial No. 09/765,847

Page 6 of 14

32. (original) The method of claim 31 wherein the user of the client computer, before gaining service, pays to the service provider a deposit, and, when the user requests contract termination, the service provider returns to the user the difference between the deposit and actual usage.
33. (original) The method of claim 1 wherein the client computers are not portable.
34. (original) The method of claim 1 wherein the client computers are portable.
35. (original) The method of claim 1 wherein the client computers are wearable.
36. (original) The method of claim 1 wherein the LAN conforms to a standard.
37. (original) The method of claim 36 wherein the LAN is an Ethernet.
38. (original) The method of claim 36 wherein the LAN is an 802.11 wireless network.
39. (original) The method of claim 1 wherein security protocols used by the secure tunnel are standard.
40. (original) The method of claim 39 wherein the security protocols belong to the IPSec protocol suite of the Internet Engineering Task Force (IETF).
41. (original) The method of claim 40 wherein the client computer uses a self-signed certificate.
42. (original) The method of claim 40 wherein the service provider uses a certificate signed by a Certification Authority (CA).
43. (original) The method of claim 42 wherein the Certification Authority (CA) has special procedures for certifying service providers.

470824-1

Serial No. 09/765,847
Page 7 of 14

44. (original) The method of claim 42 wherein the certificate includes the location and type of LAN used by the service provider.

45. (original) The method of claim 42 wherein the packets sent from the client computer to or via the service provider are authenticated using IPsec's Authentication Header (AH).

46. (original) The method of claim 42 wherein the packets sent from or via the service provider to the client computer may be authenticated using IPsec's Authentication Header (AH).

47. (original) The method of claim 42 wherein the packets sent between client computer and a service provider may be authenticated and/or encrypted using IPsec's Encapsulating Security Payload (ESP).

48. (original) The method of claim 41 wherein the security protocol is Point-to-Point Tunneling Protocol (PPTP).

49. (original) The method of claim 1 wherein the user of the client computer does not reveal its identity to the service provider.

50. (original) The method of claim 1 wherein a secure connection is established between client and service provider, and wherein the secure connection is used to communicate secrets used for establishing a secure tunnel between those parties.

51. (original) The method of claim 1 wherein service provider functionality is implemented by an integrated router/server.

52. (original) The method of claim 1 wherein service provider functionality is implemented by separate router and server.

470824-1

Serial No. 09/765,847

Page 8 of 14

53. (previously presented) A method for providing metered access to the Internet, comprising:

accessing, via a local area network (LAN), the Internet, utilizing a first point-of-access of a service provider;

establishing a secure tunnel with said service provider by exchanging authentication certificates with said first point-of-access of said service provider;

negotiating network usage terms for Internet access with said service provider at [[a]] said first point of access;

accessing said Internet from said service provider according to said negotiated usage terms via a second point of access of said service provider coupled between said first point of access and the Internet, wherein a service provider that provides the client access obtains access services from another service provider; and

constraining client device usage according to said negotiated network usage terms, said client device usage being measured as two or more of an amount of data received, an amount of data transmitted and an elapsed time.

54. (original) The method of claim 53, wherein a self-signed authentication certificate is provided to said service provider during said authentication.

55. (cancelled).

56. (previously presented) The method of claim 53, wherein the contract established between the client and the service provider to access the Internet can last for a duration selected by the client.

57. (cancelled)

470824-1